CarnegieMellon
Software Engineering Institute

L O C K H E E D   M A R T I N

Pittsburgh, PA 15213-3890

Integrating CMMI® and Six Sigma in Software and Systems Engineering

M. Lynn Penn
Lockheed Martin Management & Data Systems

Jeannine M. Siviy
Software Engineering Measurement & Analysis Initiative

Report Documentation Page

Form Approved
OMB No. 0704-0188

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE **SEP 2005**	2. REPORT TYPE	3. DATES COVERED **00-00-2005 to 00-00-2005**

4. TITLE AND SUBTITLE **Integrating CMMI and Six Sigma in Software and Systems Engineering**	5a. CONTRACT NUMBER
	5b. GRANT NUMBER
	5c. PROGRAM ELEMENT NUMBER
6. AUTHOR(S)	5d. PROJECT NUMBER
	5e. TASK NUMBER
	5f. WORK UNIT NUMBER

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) **Carnegie Mellon University,Software Engineering Institute,Pittsburgh,PA,15213**	8. PERFORMING ORGANIZATION REPORT NUMBER

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)	10. SPONSOR/MONITOR'S ACRONYM(S)
	11. SPONSOR/MONITOR'S REPORT NUMBER(S)

12. DISTRIBUTION/AVAILABILITY STATEMENT
Approved for public release; distribution unlimited

13. SUPPLEMENTARY NOTES

14. ABSTRACT

15. SUBJECT TERMS

16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT **unclassified**	b. ABSTRACT **unclassified**	c. THIS PAGE **unclassified**	**Same as Report (SAR)**	**155**	

Standard Form 298 (Rev. 8-98)
Prescribed by ANSI Std Z39-18

Trademarks and Service Marks

®   Capability Maturity Model, Capability Maturity Modeling, Carnegie Mellon, CERT, CERT Coordination Center, CMM, and CMMI are registered in the U.S. Patent and Trademark Office by Carnegie Mellon University.

SM   Architecture Tradeoff Analysis Method; ATAM;CMM Integration; CURE; IDEAL; Interim Profile; OCTAVE; Operationally Critical Threat, Asset, and Vulnerability Evaluation; Personal Software Process; PSP; SCAMPI; SCAMPI Lead Assessor; SCAMPI Lead Appraiser; SCE; SEI; SEPG; Team Software Process; and TSP are service marks of Carnegie Mellon University.

Outline

Objectives
Fundamentals
Implementation
The "Black Belt" Project
Case Study
Summary

Addendum
• Reading list
• Additional analytical tools
• Additional illustration
• Change agent references
• CMMI Process Areas

Objectives

Review Six Sigma fundamental concepts and benefits.

Share tips on Six Sigma implementation and training in a systems and software environment.

Offer perspectives on the synergy between software/systems-specific initiatives and Six Sigma.

Illustrate several analytical tools for potential application in systems engineering and software development.

Share a "real story": Details of Lockheed Martin Management & Data Systems technology change management project.

Outline

Objectives
Fundamentals
Implementation
The "Black Belt" Project
Case Study
Summary

Brief History

1979 - Motorola quality imperative "roots of Six Sigma"

1981 - Motorola challenge to improve 10 fold in 5 years

1988 - Motorola wins Malcolm Baldrige Quality Award

1991 - Motorola Six Sigma Research Institute established

1992 - Motorola, Texas Instruments, IBM, Kodak, and others
initiated efforts to develop the 6σ Black Belt program

1995 - GE mandates Six Sigma rollout; estimates current
performance at 3.5 Sigma

1997 - GE invests $250M to train 4,000 Black Belts and 60,000
Green Belts out of workforce of 222,000; recoups $300M
same year

1998 - GE calculates Six Sigma payoff at $1.25B

[Stoddard 00]

Who Uses Six Sigma?

Lockheed Martin

Boeing

General Electric

Hewlett Packard

Honeywell

Motorola

Northrop Grumman

Raytheon

Rohr

TRW

compiled from variety of news articles, web references and conference presentations

Who Else Uses Six Sigma?

3M
Amazon.com
American Express
Bank of America
Black & Decker
Bombardier
Citigroup
DuPont
Eastman Kodak
Ford
General Motors

JP Morgan
Lantech
Pella Windows
Polaroid
Porsche
Sony Electronics
Toshiba
Toyota
Volkswagen
Wire Mole

compiled from variety of news articles, web references and conference presentations

What Is Six Sigma?

- a philosophy

- a performance measurement

- an improvement framework

- a set of improvement tools

- a structured approach for business improvement (a business strategy)

Six Sigma Philosophy

**Improve
customer satisfaction
by reducing and eliminating
defects**

**Greater Profits**

Six Sigma Metrics

Defect Measures
- Defect Rate, parts per million (ppm)
  - "3.4 ppm" – most-cited metric
- Sigma Level
- Defects per Unit (dpu)
- Defects per Million Opportunities (dpmo)
- Yield

Practitioner Project Measures
- Defect measures
- Cycle time, cost, product performance, variability….
- Bottom-line savings

4 Sigma in Everyday Terms

4 Sigma = "99.9% sure"
- 9 hours/year unsafe drinking water
- 107 incorrect medical procedures a day
- 200,000 incorrect drug prescriptions per year
- 18,322 pieces of mishandled mail an hour
- 2,000,000 documents lost by IRS a year
- Two short or long landings at any major airport each day

[Harrold 99], [LMC M&DS training]

Statistical Thinking

Everything is a process.

All processes have inherent variability.

Data is used to understand variation and to drive decisions to improve the processes.

Special Cause Variation

Data Spread due to Common Cause Variation

Original Mean

New mean after improvement
(Spread due to common cause variation will re-establish itself.)

[ASQ 00], [ASA 01]

Operating at Six Sigma Implies

Data-driven decision making

Meeting customers' requirements

Measurable processes

Processes Under Control

Variation has been reduced

Future performance can be predicted

Results of actions can be assessed

Show me the Data!

Six Sigma Improvement Frameworks

DMAIC
- Define – Measure – Analyze – Improve – Control
- used to improve existing processes and products

DMADV
- Define – Measure – Analyze – Design – Verify
- a process of "Design for Six Sigma" (DFSS)
  - there is not unified approach to DFSS across industry
- used to design new products and processes
- used to redesign an existing process which has been optimized but still does not meet specifications

**Both emphasize customer satisfaction and business benefit.
Both focus on critical to quality characteristics.**

Toolkit

Define	Measure	Analyze	Improve	Control
Benchmark **Baseline** Contract/Charter Kano Model **Voice of the Customer** Voice of the Business Quality Function Deployment **Process Flow Map** Project Management **"Management by Fact"**	Defect Metrics Data Collection Methods Sampling Techniques Measurement Sys. Evaluation	**7 Basic Tools** Cause & Effect Diagrams, Matrix Failure Modes & Effects Analysis Statistical Inference Reliability Analysis **Root Cause Analysis** **5 Whys** Hypothesis Test ANOVA	Design of Experiments Modeling Tolerancing Robust Design Systems Thinking Decision & Risk Analysis	Statistical Controls: • Control Charts • Time Series methods Non-Statistical Controls: • Procedural adherence • Performance Mgmt • Preventive activities

Outline

Objectives
Fundamentals
Implementation
The "Black Belt" Project
Case Study
Summary

Roles

Executive Management
- support of top management is **required**

Champions
- identify projects, select "belt" candidates, remove barriers

Master Black Belts
- train and mentor Black Belts
- typically work with Black Belts and process owners in a functional area or business unit

Black Belts – the "heart and soul" of Six Sigma initiatives
- lead improvement projects

Greenbelts
- support black belt projects or lead smaller projects
- typically part-time

Training and Certification

Green Belt
- typical training: 1 week to 2 weeks

Black Belt
- DMAIC training: 4 to 5 weeks over 6 months with project
- DFSS training: 2 to 3 weeks over 6 months with project
- certification:
  - completion of certification project
  - completion of training
  - often rated on demonstration of skills

Master Black Belt
- role earned by experience and demonstrated project successes

The "Black Belt" Practitioner

Expectations:
- Influence change
- Provide leadership in applying quantitative methods
- Facilitate teamwork
- Consult with management
- Transfer knowledge and skills to others
- Discover new leveraging opportunities
- Continuously improve their skills
- Participate in the Black Belt network

[kodak.com]

Juggling Multiple Initiatives?

CMMI®

EIA 731

Score-card

EIA 632

ISO 12207

ISO 9000

PSP^{SM}

TSP^{SM}

® Capability Maturity Model, CMM and CMMI are registered in the U.S. Patent and Trademark Office by Carnegie Mellon University.
^{SM} CMM Integration, Personal Software Process, PSP, Team Software Process and TSP are service marks of Carnegie Mellon University.

SPC's Frameworks Quagmire

Copyright 2001, Software Productivity Consortium.
Included here with permission.

CMMI Staged and Six Sigma

5 • Organization-wide 6σ improvements and control
 • Correlation between key process areas & 6σ methods
 • 6σ used within CMM efforts

4

3 • Infrastructure in place
 • Defined processes feed 6σ

2 • 6σ philosophy & method focus
 • 6σ "drilldown" drives local (but threaded) improvements

1 • 6σ may drive toward and accelerate CMMI solution

Optimizing
Process improvement

Quantitatively Managed
Process measured and controlled

Defined
Process characterized for the organization and is proactive

Managed
Process characterized for projects and is often reactive

Initial
Process unpredictable and poorly controlled

Six Sigma is enterprise wide.
Six Sigma addresses product and process.
Six Sigma focuses on "critical to quality" factors.

CMMI Continuous and Six Sigma

Achieve high capability in PAs that build Six Sigma skills.
- MA, QPM, CAR, OPP

Use capability to prioritize order of remaining PAs

Foundational PAs

Remaining PAs ordered by business factors, improvement opportunity, etc.
(understood using foundational capabilities)

[vickroy 03]

CMMI and Six Sigma: Additional Considerations

Six Sigma applications "around" CMMI
- SEPG process improvement rollout
- Appraisal methods

Organization certifications
- CMMI: appraisals
- Six Sigma: performance is evidenced by bottom line results

A Mathematical View

$$y_1, y_2 = f(x_1, x_2, \ldots, x_k)$$

not actual data

y_1 = customer satisfaction
y_2 = profitability
    • note that profitability has a dependence on customer satisfaction
x_1 = standards, engineering practices/processes
    • what to do, what is done
    • as characterized and measured by capability models
x_k's = product innovation, organization policies, marketplace factors and so on

In this view, cost, quality, schedule, product features are "intermediate" responses: functions of standards & practices, factors for customer satisfaction and profitability.

Six Sigma is <u>a</u> way
    to define the axes,
    to traverse the response surface and find the optimum.

Tailoring Training for SW/SE

Leverage software and systems-specific measurement training as part of the DMAIC curriculum

Use projects to build repository of examples of analytical methods in context of systems and software

Extend Six Sigma curriculum, for instance
- Bayesian modeling
- Rayleigh distributions
- reliability fault trees

Develop an in-class design project suitable for systems and software engineering

Tailoring Implementation for SW/SE

Business objectives should drive the effort

Leverage existing roles
- Select engineering process group members as sponsors, possibly as Champions and Black Belts.

Mapping methods
- Integrate the practices of models, standards, and initiatives into a unified, holistic approach that is appropriate for **your** organization.

LMC M&DS Training & Implementation [1]

Executive Lean Training
- Top Executives - one week off site
- Must understand and promote

Green Belt Training
- One week course (corporate initiated/ unit led)
- Certification (completion of course, 1 event, Black Belt Mentor)
- Considering expanding Green Belt training to keep Black Belt training at three weeks

Black Belt Training
- Three week DFSS/Lean course (corporate initiated)
- Certification (completion of course, 3 events, mentored one greenbelt to certification)

Carnegie Mellon
Software Engineering Institute

LOCKHEED MARTIN

LMC M&DS Training & Implementation ₂

Lean Event Training
- 2-hour training session opens each lean event
- covers tools and methodologies
- geared for those without previous experience

Organizational Training Goals
- green belts to be trained set annually
- black belts to be trained set annually

LMC M&DS Process Standard

Program Process Standard (PPS)
- minimum mandatory set of development processes
- updated using industry standards in which certifications were desired

Example: Quantitative Management
- Key elements
  - program process standards
  - metrics program
- Map to CMMI Organizational Process Performance (OPP)
  - SG1: Establish performance baselines and models
- Map to ISO 9001 – 2001
  - 5.1 Management Commitment
  - 5.4.1 Quality Objectives….
- and so on

LMC M&DS Process Standard Roadmap

CMMI SE/SW V1.1 – 2002	M&DS PPS - 2002	ISO 9001 - 2000	EIA-632-1999	ISO/IEC 12207 - 1995
Organizational Process Focus (OPF): SG1:Determine Process Improvement Opportunities SG2: Plan and Implement Process Improvement Activities	GEN MPS 0002_ Program Process Standard: 1.1 Quality Activities 2.6 Quality	8.1General 8.2 Monitoring and measurement	4.5.3 System Verification Process R32: Enabling Product Readiness	7.3 Improvement process
Organizational Process Definition (OPD): SG1: Establish Organizational Process Assets		General Requirements Documentation requirements	Planning	5.3.1 Process implementation 7.3 Improvement process
Organizational Training (OT): SG1: Establish Organizational training Capability SG2: Provide Necessary Training		ence, awareness & train		5.2.4 Planning 5.2.5 Execution & control Training process
Organizational Process Performance (OP) SG Establish P ce Baselines and		gement Commitment w objectives & measurement of	5.2 Pr 5.3 E 5.4 I ence of En Projects	6.8 Problem resolution process 7.3 Improvement process
	MPE 00	cesses 4 Monitoring & measurement of duct Analysis of data Continual improvement		
	GEN M re ous Process ove GEN 0022 ology Management 1.1 The Program a Standard Quality Activ 2.6 Quality 3 Program Plan P 2.3 Contract Man ent 1.1 The Program P ess Standards: Quality Activities 2.6 Quality	Review output analysis of data Continual Improvement	5.1 Enterprise Factors 5.2 Project Factors 5.3 External Factors 5.4 Influence of other Enterprise Projects	
			4.1.1 Supply Process R1: Product Supply ning Process Process Implementation Strategy R5: Technical Effort Definition R6: Schedule & Organization Technical Plans k Directives	5.5. 6.1 6.2 6.3 ity ce p 6.0 int re rocess 7.1 Manage process 7.2 Infrastru process 7.4 Training cess
		7.5. Pro int ce 8.5 Contin prove		

Program Process Standard 2002

EIA 632 - 1999

CMMI SE/SW v1.1

ISO 9001 -2000

ISO/IEC 12207 - 1995

Six Sigma links:
Level 2 Measurement & Analysis PA, Level 4/5 PAs

Exercise: Important Concepts

Form groups of 4.

Each person takes a turn and shares
- the initiatives being juggled in his or her organization
- the most important or relevant concept from the first sections (fundamentals, implementation).

Total time for exercise: 12 minutes

Outline

Objectives
Fundamentals
Implementation
The "Black Belt" Project
 • **project basics**
 • analytical tools
Case Study
Summary

What is a Defect?

Six Sigma: Any product, service, or process variation which prevents meeting the needs of the customer and/or which adds cost, whether or not it is detected.

Personal Software Process^{SM} (PSP^{SM}): Defects or faults are the result of errors or mistakes. At a minimum, count a defect every time the program is changed during compile or test, where the change might be one character or multiple statements

ISO 9000:2000: Defects are the non-fulfillment of a requirement related to an intended or specified use.

Software Reliability: An error is a discrepancy between a computed, observed or measured value and the true value or a human action that results in software containing a fault. A failure is the inability to perform a required function with specified limits. A fault is a defect in the code that can be the cause of one or more failures.

[Humphrey 95], [DACS]

LOCKHEED MARTIN

Defect Consequences Worksheet

List the consequences of different types of defects.

Event	Consequence
Customer complaints	
Escaping defects	
Test defects	
Inspection defects	

Note: This worksheet is provided for your notes about the consequences of different types of defects in your organizational context. It may be completed after the tutorial.

LOCKHEED MARTIN

False Starts on SW Sigma Metrics

From Motorola:

Single, over-riding objective is
Customer Satisfaction:

"the degree of confidence a customer has that his (or her) product … expectations will be met by the producer."

incorrect orders

airline bags lost

late arrivals

bad lines of code

[Stoddard 00], [Stoddard 02]

The Customer's Vantage Point

32-step "workaround" to move info to new version of financial software

Wrong "Statement Ending Balance" when reconciling a mutual fund account using financial software

Bank ATM's debit accounts but don't give money

University students unable to enroll due to lingering problems in multi-million-dollar software system

New air traffic control system out of action more than 7 hours resulting in cancelled flights and extended delays

Carrier plane veers right without warning due to computer glitch (emergency landing was a result)

Money from payroll direct deposits missing from bank accounts

[NYT], [SM]

What "Sigma Level" is "Right"?

What is your customer telling you?

Plus, a general business perspective:
- A 4 sigma company spends >10% of revenues on internal & external repair
- A 6 sigma company spends <1% of revenues on internal & external repair

At LMC
- processes modeled using SWEEP* tool
  - allows tolerances to be set based on present performance
  - allows targets to be set based on future performance
- output of the modeling showed "six sigma" performance

*SWEEP = Software Error Estimation Program

What Is a Black Belt Project?

Business importance
- Financial expectations: $100-150K (US) savings, at least
- Endorsed and approved by management

Duration: 3-6 months recommended

Objectives are quantitative and include at least one of the following:
- Improve customer satisfaction.
- Optimize the supply chain.
- Reduce defects.
- Reduce cycle time.
- Improve first-pass yield.
- Reduce variability.
- Optimize product performance.
- Optimize process performance.
- Reduce costs.
- Reduce the cost of quality.

[kodak.com], [Snee 01]

Composite Project Illustration

Problem and goal statement (Y):
- **maximum latent defects released**
- **minimum mean time between failure in the field**
- **time to market improvement (as function of test time, defect density)**

Define → **Measure** → **Analyze** → **Improve** → **Control**

- **Problem & goal statements**
- **Define boundaries**
- **Process maps**
- **"Management by Fact"**

- **Discovery: paretos, histograms, distributions, c&e**
- **Understanding: root cause, critical factors**
- **Improvement: adjust critical factors, redesign**
- **Performance: on target, with desired variation**

$$Y = f(\text{defect profile, yield})$$
$$= f(\text{review rate, method, complexity}......)$$

A Very High-Level Process

Engineering Support Processes

| Understand Customer Needs | System Analysis | Decision Analysis |

Engineering Development Life Cycle Processes

| Requirements Definition & Architecture Development | → | Development Segment/Element Acquisitions | → | Verify & Validate System of System | → | System of System Transition to Operations | → | Support to Operations |

| Program & Project Planning | Risk Management | Ensure Product Quality | Configuration Mgmt, Cntl | Monitor, Control Effort | Quantitative Management |

Program Management & Control Processes

Organizational Processes

| Define and Improve SE Processes | Manage Product Evolution | Manage SE Support Environment | Knowledge Mgmt | Supplier/ Subcontractor Coordination |

Project Boundaries Process Map

Design → **Code** → **Compile** → **Unit Test** →

Design
◇ Requirements
✳ Estimate
◇ Concept design

Code
◇ Resources
✳ Code Stds
✳ LOC counter
⬆ Interruptions

Compile
◇ Code

Unit Test
◇ Executable Code
● Test Plan, Technique
● Operational Profiles

- **Detailed Design**
- **Test cases**
- **Complexity**
- **Data:** Design Review defects, Fix time, Phase duration

- **Code**
- **Data:** Defects, Fix time, Defect Injection Phase, Phase duration

- **Executable Code**
- **Data**: Defects, Fix time, Defect Injection Phase, Phase duration

- **Functional Code**
- **Data:** Defects, Fix time, Defect Injection Phase, Phase duration

△ Inspection	◇ Critical Inputs	✳ Standard Procedure
◯ Rework	⬆ Noise	● Control Knobs

Drilldown to Inspection Process

What are the sources of variation? the control knobs?

| Plan | → | Detect Defects | → | Trouble-shoot | → | Correct Defects | → |

Plan
◇ Artifacts to inspect
●, ⬆ Artifact size
● Reviewers
✳ Data repository

Detect Defects
◇ Review Rate
◇ , ✳ Checklists
●, ✳ Inspection method, procedure
⬆ Proficiency
⬆ Taxonomy interpretations

Trouble-shoot
What would you list?

Correct Defects
What would you list?

- **Defect Log**
- **Record of plan**
- **Direct Cause**
- **Root Cause**
- **Corrective Action**

Data feed DMAIC project process

◇	Critical Inputs
⬆	Noise
✳	Standard Procedure
●	Control Knobs

Starting Out….

Collecting basic data

Refining processes
- inspections

Improving
- cause & effect matrix
- pareto analysis

Leads to
- injecting fewer defects
- detecting defects earlier
- removing them efficiently
- process stability

Cause-Effect Model Using Bayesian Modeling

Project Initiation — System Requirements Baselined — System Requirements Allocated — Contract book Baseline & Approved — Design Readiness — System Test Readiness — Ready for Field Test — Ready for Controlled Introduction — Volume Deployment

Historical HW FFR

HW Simulation Results

HW Test Results

Field Test Results

ALT Results

SW Architecture Assessment

SW Design Assessment

SWIFT Results

Product FFR

SW Reuse

SW Reqts Assessment

SW Code Assessment

CASRE Results

SW Domain Expertise

SW Process Maturity

SW Testing Results

[Stoddard 02]

CASRE* Predictions

Bivariate Fit of Actuals By Predicted

Actual field defects = f(CASRE predicted defects)

CASRE predicted defects = f(weekly arrival rate of SW failures, weekly test intensity measures)

$3M/year savings from premature SW releases

[Stoddard 02], *CASRE = Computer Aided Software Reliability Estimation

Outline

Objectives
Fundamentals
Implementation
The "Black Belt" Project
  • project basics
  • **analytical tools**
Case Study
Summary

Toolkit

Define	**Measure**	**Analyze**	**Improve**	**Control**
Benchmark Baseline	Defect Metrics	**7 Basic Tools**	Design of Experiments	Statistical Controls:
Contract/Charter	Data Collection Methods	Cause & Effect Diagrams, Matrix	Modeling	• Control Charts
Kano Model	Sampling Techniques	Failure Modes & Effects Analysis	Tolerancing	• Time Series methods
Voice of the Customer	Measurement Sys. Evaluation	Statistical Inference	Robust Design	
Voice of the Business		Reliability Analysis	Systems Thinking	Non-Statistical Controls:
Quality Function Deployment		Root Cause Analysis	Decision & Risk Analysis	• Procedural adherence
Process Flow Map		**5 Whys**		• Performance Mgmt
Project Management		Hypothesis Test		• Preventive activities
"Management by Fact"		ANOVA		

"Tool Tips" Outline

Reference overview (description, procedure, tips, examples) for
- Management by Fact
- Voice of the Customer
- Process Mapping
- 7 Basic Tools
- Lean

Brief highlights for
- Cause and Effect Matrix
- Quality Function Deployment
- Bayesian Modeling
- Systems Thinking

Tool Tip: Management by Fact (MBF)

Description (CMMI M&A, QPM, CAR)
- a concise summary of quantified problem statement, performance history, prioritized root causes and corresponding countermeasures for the purpose of data-driven project management

Management by Fact
- uses the facts
- eliminates bias
- tightly couples resources and effort to problem-solving

MBF: Procedure

Identify and select problem (M&A, QPM)
- use "4 Whats" to help quantify the problem statement
- quantify gap between actual and desired performance

Determine root cause (M&A, CAR)
- separate beliefs from facts
- use "7 Basic Tools"
- use "5 Whys"

Generate potential solutions and select action plan (M&A, OID)
- Must be measurable/sustainable
- Specific/assignable ownership
- Understand expected results from each action

Implement solutions and evaluate (M&A, OPP, OID)
- Compare data before and after solution
- Document actuals and side effects
- Compare with desired benchmark

4 Whats

Customer satisfaction scores are too low.
- What is too low?

Compared to best-in-class benchmark of 81%, we are at 63%.
- What is the impact of this gap?

It represents lost revenue and earnings potential?
- What is the correlation between customer satisfaction and revenue?

Each percent of customer satisfaction translates to 0.25 percent of market share which equals $100M US revenue.
- What is the lost potential?

Final problem statement:

Customer satisfaction is 18% lower than best-in-class benchmark, which corresponds to a potential lost revenue of $1.8B US.

5 Whys

The marble in the Jefferson Memorial was deteriorating.
- Why?

The deterioration was due to frequent cleanings with detergent.
- Why?

The detergent was used to clean bird droppings from local sparrows.
- Why?

The sparrows were attracted by spiders.
- Why?

The spiders were attracted by midges.
- Why?

The midges were attracted by the lights.

Solution: Delay turning on the lights until later at dusk.

MBF: Format

FACTUAL STATEMENT OF PROBLEM, PERFORMANCE TRENDS & OBJECTIVES

Graph of performance over time	**Graph of supportive or more detailed information**

| **Prioritization & Root Cause**	**Counter Measures & Activities**	**Impact, Capability**
List of gaps in performance and true root cause	List of specific actions, who has ownership and due date	List of expected benefits and impact of **each** countermeasure

MBF: Example

Problem Statement

Customers A, B and C, representing x% of market share, are facing budget/cost constraints and require a 10% cost reduction in our product line XYZ in order to continue doing business with us. Baseline data shows that 33% of software development time is spent detecting and correcting defects.

Productivity

Goal: 21 LOC/hr

Change in Defect Density
- Pre-Improvement
- Post-Improvement

Defect Density

Trend of fix time / total time has similar pattern

Prioritization & Root Cause	Counter Measures & Activities	Who	When	Expected Benefit/Impact
Large Quantity of Syntax & Similar defects that are repaired in <10 minutes on avg *Goal is 50% reduction in time, relative to historical data*	Clarify type definitions	jms	✓4/30/2001	About 1/2 of goal. In normalized terms, ~1 LOC/hr increase
	Improve subcategory data collection	jms	✓4/30/2001	
	Build a cause & effect diagram to be used for next round of analysis, improvement planning	jms		
	Increase correction efficiency by seeking all occurrences of a defect upon the detection of the first occurrence	jms	✓4/30/2001	
	Increase and log (new) usage of off-line programs to test small pieces of functionality	jms		
	Create & Use a syntax checklist	jms	✓4/30/2001	
"Big Hitter" (>10 minutes) defects involve a variety of errors that escape to testing. Design-injected and Test-removed errors fall into this category *Goal is 25% reduction in time, relative to historical data*	Time breaks: phase completion & every hour	jms	✓4/30/2001	About 1/2 of goal. In normalized terms, ~1 LOC/hr increase.
	Conduct a phase check prior to moving on	jms	✓4/30/2001	
	Increase and log (new) usage of off-line programs to test small pieces of functionality	jms	✓4/30/2001	
	Improve subcategory data collection to use for developing a more directed design review	jms	✓4/30/2001	
	Build a cause & effect diagram to be used for next round of analysis, improvement planning	jms		

Tool Tip: Voice of the Client (VOC)

Description (IPM – where customer is part of group, IPPD)
- a method to describe the stated and unstated needs or requirements of the customer
- can be captured in a variety of ways: direct discussion or interviews, surveys, focus groups, customer specifications, observation, warranty data, field reports, complaint logs, etc.

[isixsigma]

VOC: Usage

Feeds Quality Function Deployment (QFD)

Risks (track via RSKM and DAR techniques)
- anecdotal, not quantitative
- difficult to get "the right answer"
- humans are PERFECT FILTERS!
- it is very easy to induce bias in VOC

Tips
- use existing information with care – it may be biased or too narrowly focused
- always use more than one source
- customer visits allow direct discussion and observation
- customer visits allow immediate follow-up questions and unexpected lines of inquiry

VOC Interviews: Procedure [1]

Define the customer.

Select customers to interview.
- Always interview more than one.

Plan interview. (use verification & validation techniques)
- Develop a checklist/guideline.
- Teams of 3: "Moderator," "Scribe," "Observer"

Conduct interviews. (collect metrics for trend analysis)
- Customer statements & observations need to be recorded VERBATIM.
- Keep asking "why."

VOC Interviews: Procedure [2]

Create VOC table. (RM, RD)
- Interpret verbatim statements into new meanings.
- Document source of VOC or re-worked VOC.
  - "I" if internally changed or   generated (by team)
  - "E" if externally generated (by customer) or not changed by team
- Classify each statement as:
  - a real need ➔ feeds QFD
  - a technical solution
  - a feature requirement ➔ feeds QFD
  - not a true need (e.g., cost issue, complaint, technology, hopes dreams, etc.)
- Quantify, Analyze, Prioritize

VOC: Example Table

New process initiative under consideration
- interview statements recorded verbatim and classified
- column added for keyword sorting

Further development
- "interpreted" comments about the organization's true goals, the overlap of initiatives (and so on)
- evaluation for common themes
- additional data collection may be needed

Customer comment	Interpreted, reworded	I/E	perception, experience, context	barrier	root issue?	results, success	need	solutions	Keyword for sorting
			Classification						
We are already at maturity level x, so why do more?		E	✓	✓					competing initiatives

VOC: Analysis

Prioritization Method	Customer Time	Preparation Complexity	Analysis Complexity	Quality of Resulting Prioritization	Number of customers needed	Number of Needs to Prioritize	Recommend
Frequency of Response	short	low	low	low	large	large	NO
Constant Sum	medium	medium	medium	medium	medium	small	Yes
Rating	short	low	low	medium	medium	med-large	Yes
Simple Ranking	medium	low	low	medium	medium	small-med	Yes
Q-Sort	short	low	low	medium	medium	large	Yes
Paired Comparison	long	medium	high	high	large	small	Yes
Regression	short	medium	high	high	large	small-med	Yes

Tool Tip: Process Mapping

Description

- representation of major activities/tasks, subprocesses, process boundaries, key process inputs, and outputs

INPUTS

(Sources of

Variation**)**

- People
- Material
- Equipment
- Policies
- Procedures
- Methods
- Environment
- Information

PROCESS STEP

A blending of inputs to achieve the desired outputs

OUTPUTS

(Measures of

Performance**)**

- Perform a service
- Produce a Product
- Complete a Task

Mapping: Usage

Feeds other tools (OID, OPP, CAR)
- Cause and Effects Matrix
- Failure Modes and Effects Analysis (FMEA)
- Control Plan Summary
- DOE planning

Tips for mapping current processes (OPP)
- Go to the **actual place** where the process is performed.
- Talk to the **actual people** involved in the process and get the real facts.
- Observe and chart the **actual process.**
- Consider creating "as is" and then "to be" maps.

Reality is invariably different from perception - few processes work the way we think they do!

Mapping: Terms

Controllable Inputs: Key Process Input Variables (KPIVs) that can be changed to see the effect on Key Process Output Variables (KPOVs). Sometimes called "Knob" Variables.

Critical Inputs: KPIV's that have been **statistically** shown to have a major impact on the variability of the KPOVs.

Noise Inputs: Input variables that impact the KPOVs but are difficult or impossible to control. Example: Environmental variables such as humidity, ambient temperature, etc.

Standard Operating Procedures: A standard procedure for running the process.

Mapping: Example

Inspection process from earlier illustration

Plan	→	Detect Defects	→	Trouble-shoot	→	Correct Defects	→

Plan
◇ Artifacts to inspect
●, ↑ Artifact size
● Reviewers
✴ Data repository

Detect Defects
◇ Review Rate
◇, ✴ Checklists
●, ✴ Inspection method, procedure
↑ Proficiency
↑ Taxonomy interpretations

Trouble-shoot
What would you list?

• **Defect Log**
• **Record of plan**

Correct Defects
What would you list?

• **Direct Cause**
• **Root Cause**

• **Corrective Action**

△ Inspection	◇ Critical Inputs	✴ Standard Procedure
○ Rework	↑ Noise	● Control Knobs

Mapping Variation: Value Map

Identify the process to map.

Identify the boundaries.

Create input-process-output for the critical processes.

Create the process map.

Color code each step identifying value.
- green = value added
- red = non value added
- yellow = non value added but necessary

Identify hand-off points, queues, storage, and rework loops in the process.

Quantitatively measure the map (throughput, cycle time, and cost).

Validate map with process owners.

Value Mapping: Example

Request (Need Identified) → Initial Assessment* → Assessment Coordination → Preliminary Request Accepted?

Preliminary Request Accepted? — **No** → Feedback → Request (Need Identified)

Preliminary Request Accepted? — **Yes** → Validate → Request Validated?

Request Validated? — **No** → Gather More Information → Initial Assessment*

Request Validated? — **Yes** → Additional Guidance Needed?

Additional Guidance Needed? — **Yes** → Provide Additional Guidance → Select Method/Path

Additional Guidance Needed? — **No** → Select Method/Path

Select Method/Path → Right Decision?

Right Decision? — **No** → Initial Assessment* (5% Rework)

Right Decision? — **Yes** → Forward to Board

5% Rework

Legend:
- Red
- Yellow
- Green

*Initial Assessment will:
- Determine Impact Assessment
- Identify Stakeholder
- Coordinate with Product/Process Owner
- Perform Impact Analysis

Process Map Practice

Complete the inspection process map presented in this "tool tip."

Or, create a new inspection process map based on your experience.

Note: This and the next slide are provided for post-tutorial process mapping practice.

Your Process Map Here

Tool Tip: 7 Basic Tools

Description
- Fundamental data plotting and diagramming tools
    - Cause & Effect Diagram
    - Histogram
    - Scatter Plot
    - Run Chart
    - Flow Chart
    - Brainstorming
    - Pareto Chart

- The list varies with source. Alternatives include
    - Statistical Process Control Charts
    - Descriptive Statistics (mean, median and so on)
    - Check Sheets

7 Basic Tools: Usage

PLOT, PLOT, PLOT!
- use these tools to describe the process
- expand and extend the charts as needed

Used throughout Six Sigma projects and within many other tools:
- MBF
- troubleshooting as a result of "out of control" point

Many accomplishments are built on these tools **alone.**

Handy resource: "The Memory Jogger"

[Memory Jogger: http://www.goalqpc.com]

LOCKHEED MARTIN

7 Basic Tools: Chart Examples

Defects Removed By Type

Pareto Chart

Run Chart

Mean Time To Repair

7 Basic Tools: Cause & Effect

Traditional diagram

Management
- Unrealistic completion date
- Inadequate test resources
- No risk management

People
- Minimum application experience
- No test specialists

Environment
- Test beds to not match user configuration

Methods
- No formal inspection process
- No formal defect tracking mechanism

Software not required reliability

Variation

Subcause A1
Subsubcause A1.1
Cause A
Subcause C1
Cause C
Subcause C2
Process
Process
Problem
Subcause B1
Cause B
Subcause D1
Subcause D2
Subsubcause D2.1
Cause D

[Westfall]

7 Basic Tools: Chart Variations

Box & Whisker Plot
for assessment data

mean → x

90th percentile
75th percentile
median: 50th percentile
25th percentile
10th percentile

CMMI BENCHMARK
SEI Level 3

Requirements Development · Technical Solution · Product Integration · Verification · Validation · Organization Process Focus · Organizational Process Definition · Organizational Training · Integrated Project Management · Risk Management · Decision Analysis & Resolution

7 Basic Tools: Chart Variations

Boxplot variations:

- cost and schedule variance over time to show organizational average and also variability
- prioritized features for a new process technology rollout: a combination "pareto-boxplot"

Tool Tip: Lean

"An organization working together to make continuous improvements without large capital investment"

Purpose
- brings the right people together to understand the process and make immediate improvements to the process.
- evaluates opportunities to reduce cycle time, cost, inventory and eliminate all waste.

Lean: Terms & Usage

Kaizen - Make people's jobs easier by taking them apart, studying them, and making improvements.
- "KAI" - take apart and make anew
- "ZEN" - think, make good the actions of others, do good deeds and help others

Kaizen tips (VAL, M&A, QPM, CAR, OPP)
- Get rid of old assumptions.
- Look for ways to make things happen now.
- Say "NO" to the status quo.
- Don't worry about being perfect.
- It doesn't have to cost money.
- If something's wrong, fix it on the spot.
- Ask "WHY" five times to get to the root cause.
- Look for wisdom from many people rather than one.
- Never stop improving.
- Full-time participation of team members.
- Keep all affected employees informed of changes.

Lean: Six Sigma Representation

6 Sigma

LEAN

LM21 Operating Excellence

OVERALL YIELD vs SIGMA
(Distribution Shifted ±1.5σ)

# of Parts (Steps)	±3σ	±4σ	±5σ	±6σ
1	93.32%	99.379%	99.9767%	6%
7	61.63	95.733	99.839	976
10	50.08	93.96	99.768	.9966
20	25.08	88.29	99.536	99.9932
40	6.29	77.94	99.	99.9864
60	1.58	68.81		99.9796
80	0.40	60.75		99.9728
100	0.10	53.64	.70	99.966
150	- - -	39.38	96.61	99.949
200	- - -	28.	95.45	99.932
300	- - -		93.26	99.898
400	- - -		91.11	99.864
500	- - -	4	89.02	99.830
600	- - -	2.38	86.97	99.796
700	- -	1.28	84.97	99.762
800		0.69	83.02	99.729
900		0.37	81.11	99.695
1000		0.20	79.24	99.661
1200	- -	0.06	75.88	99.593
3000	- - -	- - -	50.15	98.985
170	- - -	- - -	1.91	94.384
	- - -	- - -	0.01	87.880
				78.820
000				60.000

Lean: Kaizen Procedure

Top Mgmt Kick-off of event

Determine Team Objectives and Goals

Lean/Six Sigma Training

Map as-is Process

Identify Waste in the process

Use root cause analysis to evaluate issues

Brainstorm solutions

Evaluate the solutions against the objectives

Report to Sponsor

Implement validated solutions to improve the process

Standardize: Map the to-be / improved process

Report to Sponsor

Lean: Staffing Analysis Example [1]

"As Is" Logical Process Map

INPUTS

Request for Analysis → Query Exist? → No → Mod Query? → No → Create New Query → Select Data Elements → Run Test → Analyze Report → Works? → Yes

Query Exist? → Yes → Run Report

Mod Query? → Yes → Create New Query

Works? → No

Average 3 times in this loop

Import to Excel → Pivot Table → Deliver to Customer → Satisfied → Yes → Customer

Satisfied → No

Legend

○ Operation/ Activity   ▢ Inspection

⬡ Transport   ⬭ Delay

Lean: Staffing Analysis Example ₂

"To be" Logical Process Map

Additional Analytical Tools

Quality Function Deployment (RM, RD)
- designs what customers REALLY want
- prevents designing unnecessary product features

Bayesian Modeling (VER, VAL, PI)
- alternative to classical regression-based models
- accounts for prior knowledge and likelihood
- network diagrams show cause & effect relationships

Systems Thinking (TS, DAR, M&A, QPM, OPP)
- for chronic, describable, important problems with previous unsuccessful attempts to solve
- several tools to map and understand process

See Addendum for additional information about selected tools.

LMC M&DS Lessons Learned

Six Sigma is more than statistical analysis
- It is a tool box of methodologies that align with an organization's process improvement.
- The alignment is directly related to high maturity but is not restricted to that.

Outline

Objectives
Fundamentals
Implementation
The "Black Belt" Project
Case Study
Summary

Applications

Six Sigma applications for Systems and Software Engineering are emerging.

Survey of Applications [1]

Motorola
- inspection data analysis & unit test optimization
- risk-based software inspections
- design of experiments methods & test cases
- complexity analysis & resource allocations
- quantitative risk management via uncertainty modeling

General Electric
- DFSS
- Six Sigma & Extreme Programming

Allied Signal
- 1997 air supply control system shutdowns
- black belt project team commissioned to find solution

[Harry 00], [Stoddard 00], [Kelliher 01]
Motorola & GE presentations available at http://seir.sei.cmu.edu

Survey of Applications [2]

Honeywell

- PSP[SM]/TSP[SM] & Six Sigma
  - "TSP provides the data needed to apply Six Sigma"

JP Morgan
- Capability Maturity Model® (CMM®) & Six Sigma
  - "…Six Sigma methodology is beneficial on all levels of maturity."

NCR
- CMM & Six Sigma
  - "…helps organizations working towards Level 4 & 5 deliver the best business results."

[Pavlik 00], [A-M 99], [Demery 01]
Presentations available at http://seir.sei.cmu.edu

LMC M&DS - Strategy

Analyzed Principles
- Value from the customers' perspective
- Value Stream – measured
- Flow
- Pull
- Perfection – rapid feedback / mistake proofing

World-wide Benchmarking Results
- A 4 Sigma company will spend > 10% of revenue on internal and external repair.
- A 6 Sigma company will spend < 1 % of revenue on internal and external repair.

LMC M&DS Project Selection

1. Process Improvement Recommendation (PIR)
    -   any one can submit
    -   process suggestion passed to Process Owner to evaluate, determine feasibility, determine level of institutionalization (and determine if pilot is necessary)

2. E-Transformation
    -   all business processes that affect overhead are applicable
    -   selection based on ROI and relevance to business – firm understanding of the before state
        –   Just do it Projects
        –   Kaizen event with rollout plan
    -   require use of Six Sigma methodologies/ tools to pursue optimization

3. Technology Change Management Working Group (TCMWG)
    -   once a year call for ideas – process oriented
    -   can also be used to pilot ideas from PIRs
    -   selection based on understanding the before state to measure the after state
    -   modeling techniques implementing a six sigma target

LMC M&DS Technology Change Management [1]

Purpose (M&A, RSKM, TS, QPM, OPP, OID)
- identify and assess emerging process-related technologies (e.g., Tools, Commercial Practices)
- guide those having benefit into our development activities in an orderly manner

Implementation (OID)
- Technology Change Management (TCM) Working Group (TCMWG) formed to identify process improvement needs and oversee the planning, progress, and application of solutions
- each functional organization represented on TCMWG
- annual call for TCM project proposals
  - parallel effort with call for IRAD projects
  - based on needs expressed in the strategic plan
- meets monthly to review ongoing projects, assess new business needs, and communicate new technology

LMC M&DS Technology Change Management [2]

Definition
- process-centric (as opposed to product-centric)
- separation of former and latter based on legal barriers
- Technology changes for product is accomplished by extensive IRAD effort
- enterprise wide

Focus on TCM motivated by Acquisition Reform in 1995
- considerable maturing of TCM process in six years
- business results rather than just "ticket punching"
- utilizes value added methodology – 6 Sigma Tools

Driven by LMC M&DS Strategic Plan
- TCM participants contribute to Strategic Plan

Harmonious with company-wide process philosophy

LMC M&DS Technology Development Programs: There are Two!

Focus:	**Product Technology**	**Process Technology**
Develop For:	What you sell	How you do your work
Catalyst:	Continued rapid advances in IS enabling technologies, e.g., microelectronic devices, fiber optics, and wireless communications	Acquisition Reform
Funding:	NBAE/IR&D	OH/Indirect $
Sponsor:	IR&D Program	TCM Program

Each program develops technology discriminators and enhances our win probabilities

TCMWG Organization and Operations

Proposal Selection Committee

| Call for Project Candidates | → | Evaluate & Rank Proposals | → | Recommend Projects & Budget |

Steering Committee

Review LMC M&DS Business Needs → Establish Priority Process Improvement Needs

Approve Projects/ Identify & Obtain Funds → Gain EPSC Approval for TCM Plan → Communication

Review Project Status Quarterly

Solicit Ongoing Business/Functional Specific Initiatives

Project Oversight Committee

Review Project Status, Assign Actions

TCM Proposal Results

Representation
- All LMC M&DS regions represented on the selection team.
- All LMC M&DS regions had proposals submitted.

Quality of proposals - good

Quantity of proposals managed (typical year)
- 51 proposals received
- 23 proposals ranked
- 12 proposals identified and ranked for the TCM Program Plan.

Proposed budget for TCM Program Plan

Focus, Focus, Focus

Goal – shift defect detection curve to find more defects earlier in the life cycle

Focused Technology Change
- Incorporates both new processes in utilizing goal into the existing process
- Integrates new tools into the inspection process and defect tracking measurements

Before State
- Defect curve shows later defects - 14 defects/KSLOC during test phase

After State
- Decrease in test defects because found earlier in process
  - Goal X defects/KSLOC during test phase
  - Pilot actually beat the goal

One technology thread to address

TCM Flow Example

RATIONALE　　　　　DEVELOP APPROACH　　　　　MEASURE /MANAGE/ REFINE

DEFECT PREVENTION

Business Needs

Causal Analysis (CAR)

- Program Data show test overruns require remedial action
- Lack of Early Detection
- Flaws in Design Process

TCMWG Assessment
- Quality Influence from Industry
  - Motorola/GE

IPQ IN TCMWG

Historical Data (OPP)

- Defect Rate
- Current Process Quantified

PPS & PROCEDURES (OPD)

INFUSION ON TARGET PROGRAMS (OID)

PROGRAM

- Assist in managing the program
- Improve program performance

PROCESS CAPABILITY BASELINE (OPP)

- Identify class of programs that match organization's profile
- Assess IPQ impact

Establish Organization Goals

Evaluate Standard Process

Allocation of Goals

PROCESS IMPROVEMENT

Focus, Focus, Focus

Process Change - Common Inspection Process

Focused Process Change
- Institutionalization of one inspection process method
- Single process for inspections on all programs in all phases

Before State - Walkthrus
- X Defects / KSLOC during Detailed Design
- X Defects / KSLOC during Code & Unit Test

After State - Inspections
- X Defects / KSLOC during Detailed Design
- X Defects / KSLOC during Code & Unit Test

One process thread to address

Process Change Flow

Evaluation

Analyzed Program Fault Profiles: (M&A,OPP) Determined inspections had a positive effect on overall profile

→

Evaluated Applicability to other programs (OPP,OID) Reviewed other techniques / ROI / historical data

→

Decision to proceed (DAR)

Implementation

Developed New Procedure Concept (OID) Consolidated approaches from all regions

→

Approval of Tech Ops to proceed

→

Updated Organizational Assets (OPD, OPP)

Pilot required?

Prepare / Offer Training (OT,OPD,OID)

Infusion / Monitoring

Program Infusion (M&A, OPP, OPD)

Programs Tailor Procedures

Metric data / Lessons learned

Program -level analysis and mods

→

Evaluate Process Capability (M&A, OPP, OPD)

LMC M&DS TCM Summary

The TCM Program is driven by the strategic process needs of our product lines.

TCM projects have had a positive impact on new business pursuits.

TCM projects have resulted in cost savings as well as cost avoidance.

TCM projects can result in changes to the standard processes.

Our business leaders are encouraged to push process boundaries through TCM.

Pinched Ideas

What are your "take-away" learnings?

What is immediately useful in your workplace?

Outline

Objectives
Fundamentals
Implementation
The "Black Belt" Project
Case Study
Summary

Key Points

Six Sigma is about customer satisfaction and business profitability.

Software and systems engineering organizations are using Six Sigma.
- They are effectively blending it with their overall set of processes, models, standards.
- Each "blend" is based on organizational context (sorry, no "silver bullet").
- They are applying it to projects, programs, products, and engineering processes.

The analytical toolkit contains familiar and new, extended tools.
- They are applicable to software and systems engineering.
- Some are "statistical" and some are "analytical."

The industry needs a comprehensive set of case studies of Six Sigma in SW/SE (similar to what is available in manufacturing).

Advancing the State of 6σ & SW/SE

Discussion Group

- **http://groups.yahoo.com/group/6S_SWSE**
- current issues, most recent works

Repository of Examples & Benefits

- **http://seir.sei.cmu.edu**
- concrete visualization
- relationship to models, initiatives
- variety of analytical methods
- multiple perspectives
  - –project, process, product
  - –software, systems
  - –maturity/capability levels

Advancing the State: Publishing

Call for papers: *Software Quality Professional*
- Seeking practical, experience-based articles
  - case studies
  - solutions/improvements to critical process, products
  - training issues, multi-initiative usage

Call for reviewers
- Green, Black or Master Black Belts

**Contact jmsiviy@sei.cmu.edu
if you would like to participate
or want more information
(flyers available post-tutorial)**

Advancing the State:
Birds of a Feather Session

Wednesday evening

Proposed agenda
- 10 minute "what's new"
- discussions:
  - Six Sigma basics (for newbies)
  - comparisons of different approaches to integrating intiatives
  - tailoring training for software and systems engineers
  - lessons learned from the field

Signup sheet posted in registration area

Summary

Customer satisfaction is key driver

**All efforts should link
to business results**

Contact Information

M. Lynn Penn
Lockheed Martin Management & Data Systems
P.O. Box 8048
Building A, Room 25A17
Philadelphia, PA 19101
Email: mary.lynn.penn@lmco.com
610-354-1188

Jeannine Siviy
Software Engineering Institute
Measurement & Analysis Initiative
Email: jmsiviy@sei.cmu.edu
412-268-7994

References [1]

Note: URL's subject to change without notice

[A-M 99]   Abdel-Malek, Nabil and Anthony Hutchings, *Applying Six Sigma Methodology to CMM for Performance Improvement*, JP Morgan, European SEPG 1999, (slides available to SEIR contributors at http://seir.SEI.cmu.edu)

[ASA 01]   American Statistical Association, Quality & Productivity Section, *Enabling Broad Application of Statistical Thinking*, http://web.utk.edu/~asaqp/thinking.html, 2001

[ASQ 00]   ASQ Statistics Division, *Improving Performance Through Statistical Thinking*, Milwaukee: ASQ Quality Press, 2000. H1060

[Arnold 99]   Arnold, Paul V., *Pursuing the Holy Grail*, MRO Today, June/July 1999, www.progressivedistributor.com/mro/archives/editorials/editJJ1999.html

[Brecker]   Linked QFD matrices for CTQ trace-ability from http://www.brecker.com

[Breyfogle 99]   Breyfogle III, Forrest W., *Implementing Six Sigma: Smarter Solutions Using Statistical Methods*, John Wiley & Sons, 1999

[Bylinsky 98]   Bylinsky, Gene, *How to Bring Out Better Products Faster*, Fortune, 23 November 1998

[Demery 01]   Demery, Chris and Michael Sturgeon, Six Sigma and CMM Implementation at a Global Corporation, NCR, SEPG 2001, (slides available to SEIR contributors at http://seir.sei.cmu.edu)

[Harrold 99]   Harrold, Dave, *Designing for Six Sigma Capability*, Control Engineering Online, January 1999, http://www.controleng.com/archives/1999/ctl0101.99/01a103.htm

References ₂

[Harrold 99-2]   Harrold, Dave, *Optimize Existing Processes to Achieve Six Sigma Capability*, Control Engineering Online, January 1999, http://www.controleng.com/archives/1999/ctl0301.99/03e301.htm

[Harry 00]   Harry, Mikel, *Six Sigma: The Breakthrough Management Strategy Revolutionizing the World's Top Corporations*, Doubleday, 2000

[Hefner 02]   Hefner, Rick and Michael Sturgeon, Optimize Your Solution: Integrating Six Sigma and CMM/CMMI-Based Process Improvement, Software Technology Conference, 29 April – 2 May 2002

[Hexsab 02]   Adapted, with permission, from "Cause & Effect Matrix Tool Tips" written by Sharon Gregory, Hexagon Solutions and Beyond, Inc.

[isixsigma]   From http://isixsigma.com

[Kelliher 00]   Kelliher, Timothy P., Daniel J. Blezek, William E. Lorensen, James V. Miller, Six Sigma Meets Extreme Programming, General Electric Corporate R&D, (paper available to SEIR contributors at http://seir.sei.cmu.edu)

[kodak.com]   From Eastman Kodak Company website, www.kodak.com

[NYT]   Meyers, Peter, *The Workaround: 32 Steps to Frustration*, New York Times online, 25 April 02, http://www.nytimes.com/2002/04/25/technology/circuits/25WORK.html

References ₃

[Pavlik 00]   Pavlik, Rich, Cary Riall and Steve Janiszewski, *Deploying PSP^SM, TSP^SM, and Six Sigma Plus at Honeywell*, Honeywell Air Transport, SEPG 2000, (slides available to SEIR contributors at http://seir.sei.cmu.edu)

[Pyzdek 01]   Pyzdek, Thomas, *The Six Sigma Handbook*, McGraw-Hill Professional Publishing, 2001

[SM]   News articles from http://www.stickyminds.com News Center's 30-day rolling archive: *Californians' Direct Deposits to Bank of America listed as Missing* 3/17/02, *Travel Plans Thrown into Chaos* 3/29/02, *Mizuho Accounts Erroneously Debited During ATM Malfunction* 04/03/02, *RMIT (Royal Melbourne Institute of Technology) Software System Still Bug-Ridden* 04/02/02, *Computer Glitch Caused Jet Scare* 03/25/02.

[Snee 01]   Snee, Ronald D., *Dealing with the Achilles' Heel of Six Sigma Initiatives: Project Selection is the Key to Success*, Quality Progress, March 2001

[Stoddard 00]   Stoddard, Robert W., *Implementing Six Sigma in Software*, Motorola, Inc., Software Engineering Symposium 2000, (slides available to SEIR contributors at http://seir.sei.cmu.edu)

[Stoddard 02]   Adapted, with permission, from information provided by Robert Stoddard, Motorola, Inc.

[Vickroy 03]   Idea to strategically select MA, OPP, QPM as first PAs in which to achieve capability 5 offered by Robert Vickroy, ABS Group, at CMMI course on 17 january 2003

[Westfall]   From http://www.westfallteam.com/Cause&Effect_Diagrams.pdf

Addendum

Additional reading

Additional analytical tools: abbreviated "tool tips"

Additional illustration

Change Agent References

CMMI Process Areas

Additional Reading [1]

Six Sigma Books (not software-specific):

Breyfogle III, Forrest W., *Implementing Six Sigma: Smarter Solutions Using Statistical Methods*, John Wiley & Sons, 1999

Breyfogle, III, Forrest W., Cupello, James M., Meadows, Becki, *Managing Six Sigma*, John Wiley & Sons

Harry, Mikel, *Six Sigma: The Breakthrough Management Strategy Revolutionizing the World's Top Corporations*, Doubleday, 2000

Pyzdek, Thomas, The *Six Sigma Handbook*, McGraw-Hill Professional Publishing, 2001

Web pages & Web sites:

American Society for Quality Six Sigma Forum,
http://www.sixsigmaforum.com/concepts/var/index.shtml

International Quality Federation, http://www.iqfnet.org (Follow the black belt links)

iSixSigma, http://www.isixsigma.com

Six Sigma Academy, http://www.6-sigma.com

Smarter Solutions, http://www.smartersolutions.com

Software Engineering Information Repository: http://seir.sei.cmu.edu (Follow links to Measurement area then to Six Sigma)

SEI Software Technology Review: http://www.sei.cmu.edu/str/descriptions/sigma6.html

Additional Reading ₂

Papers, presentations, journal articles (URL's subject to change without notice)

6 Sigma Pro, Quality Digest, May 2000, http://www.qualitydigest.com/may00/html/sixsigmapro.html

6 Sigma Con, Quality Digest, May 2000, http://www.qualitydigest.com/may00/html/sixsigmacon.html

Arnold, Paul V., *Pursuing the Holy Grail*, MRO Today, June/July 1999, http://www.mrotoday.com/mro/archives/Editorials/editJJ1999.htm

Blakeslee, Jerome A., Jr., *Implementing the Six Sigma Solution*, Quality Progress, July 1999

Bramble, Larry, *Lessons Learned from Merging Six Sigma and the CMM*, European SEPG 2002

Card, David, *Sorting out Six Sigma and the CMM*, IEEE Software, May/June 2000

Card, David, Integrating Six Sigma and the CMMI, Software Technology Conference, 29 April – 2 May 2002

Dusharme, Dirk, *Six Sigma Survey: Breaking Through the Six Sigma Hype*, Quality Digest, November 2001, http://www.qualitydigest.com/nov01/html/sixsigmaarticle.html

Harrington, H. James, *Six Sigma for Internet Application Development*, available at http://www.stickyminds.com and at http://groups.yahoo.com/group/6S_SWSE

Hammer, Michael, *Process Management and the Future of Six Sigma*, MIT Sloan Management Review, Winter 2002

Additional Reading ₃

More papers, presentations, journal articles (URL's subject to change without notice)

Harrold, Dave, *Optimize Existing Processes to Achieve Six Sigma Capability*, Control Engineering Online, March 1999, http://www.controleng.com/archives/1999/ctl0301.99/03a301.html

Keller, Paul, *Recent Trends in Six Sigma*, ASQ Annual Quality Conference, April 2001

Lahiri, Jaideep, *The Enigma of Six Sigma*, The Net Business of the India Today Group, http://www.india-today.com/btoday/19990922/cover.html

Northrop Grumman's Six Sigma Roadmap, ASQ Six Sigma Forum, http://www.sixsigmaforum.com/protected/articles/bb/bb_ss_aerospace_1.shtml (membership required)

Pavlik, Rich and Cary Riall, *Integration PSP^{SM}, TSP^{SM}, and Six Sigma Plus at Honeywell*, Honeywell Air Transport, SEPG 2002

Paul, Lauren Gibbons, "Practice Makes Perfect," CIO Enterprise Magazine, 15 January 1999, http://www.cio.com/archive/enterprise/011599_process.html

Pyzdek, Thomas, *Why Six Sigma is Not TQM*, Quality Digest,   February 2001, http://www.qualitydigest.com/feb01/html/sixsigma.html

Pyzdek, Thomas, *Ignore Six Sigma at Your Peril*, Quality Digest,   April 2001, http://www.qualitydigest.com/april01/html/sixsigma.html

Smith, Bonnie and Emily Adams, *LeanSigma^{SM}: Advanced Quality*, ASQ Annual Quality Conference, April 2001

Smith, Larry R., *Six Sigma and the Evolution of Quality in Product Development*, Six Sigma Forum Magazine, November 2001

Young, Tim, *Merging Six Sigma and IT*, Six Sigma Forum Magazine, February 2002

Additional Reading [4]

References on statistics and analytical tools (URL's subject to change without notice)

General Statistics

Davis, Wallace III, *Using Corrective Action to Make Matters Worse*, Quality Progress, October 2000

Gonick, Larry and Smith, Woollcott, *The Cartoon Guide to Statistics*, HarperPerennial,1993

Wheeler, Donald, J. *Understanding Variation – The Key to Managing Chaos*, SPC Press, 1993

Statistical Process Control

AT&T / Western Electric Co., *Statistical Quality Control Handbook*, Delmar Printing Company

Chrysler, Ford, General Motors Corp., *Statistical Process Control – SPC*, A.I.A.G. 1995

Florac, William A., and Anita D. Carleton, *Measuring the Software Process*, Addison-Wesley, 1999

Wheeler, Donald, and David S. Chambers, *Understanding Statistical Process Control*, SPC Press, 1992

Lean Thinking/Business Strategies:

Goldratt, Eliyahu M. *The Goal*, North River Press, 1992

Dettmer, William, Goldratt's Theory of Contraints: A Systems Approach to Continuous Improvement, American Society for Quality, 1997

Bayesian Modeling:

Fenton, Norman and Martin Neil, *Software Metrics: Roadmap*, International Conference on Software Engineering, 2000, available at http://www.softwaresystems.org/future.html

Addendum

Additional reading
Additional analytical tools: abbreviated "tool tips"
Additional illustration
Change agent references
CMMI Process Areas

Tool Tip: Cause & Effect Matrix

Description
- method to determine possible causes of variation in the process and to feed future experimental designs

Purpose
- to organize problem-solving efforts when there are multiple responses involved
- to prioritize the number of factors to study
- to build team consensus about what is to be studied

[Hexsab 02]

Cause & Effect Matrix: Usage

When to use:
- team is overwhelmed with the number of variables affecting process
- not possible to experiment with **all** of the variables – need to narrow down the list
- team is struggling with which factors may have the biggest impact
- it is not clear how each factor impacts customer requirements

Feeds other tools:
- Failure Mode and Effects Analysis
- Data collection plans
- Experimentation
- Control plans

[Hexsab 02]

Cause & Effect Matrix: Terms

Process: The combination of people, equipment, materials, methods and environment that produce output (product or service). It is a repeatable sequence of activities with measurable inputs and outputs.

Parameter: A measurable characteristic of a product or process.

Process Parameter: A measurable characteristic of a process that may impact product performance but may not be measured on the product. (The "x.")

End-Product Parameter: A parameter that characterizes the product at the finished product stage. (The "Big Y.")

In-Process Product Parameter: A parameter that characterizes the product prior to the finished product stage. It is measured on the product upstream and is the result of a process step. (The "little y.")

Input Variable: An output from other processes. (Neither x's or y's.)

[Hexsab 02]

Cause & Effect Matrix: Procedure

Identify the y's from process map.

Rate the y's on a scale from 1-10.
- Involve the "customers" to determine the ratings.
- Ratings are relative.

List the process steps and all of the x's from the process map.

Rate the relationship of each x to each y on a 0, 1, 3, 9 scale.
- 0 =   No relationship between x and y
- 1 =   Remote relationship between x and y
- 3 =   Moderate relationship between x and y
- 9 =   Strong relationship between x and y

For each x
- Multiply each relationship rating by the corresponding y rating
- Sum the products

Use the summations to rank and select x's for future experiments or focused efforts

[Hexsab 02]

Cause & Effect Matrix: Format

		Y's:	
		Y ratings:	

Process steps	X's	X relationship to Y	Sum

[Hexsab 02]

Tool Tip: Quality Function Deployment (QFD)

Description
- a structured methodology used to identify customers' requirements and translate them into key process deliverables
- helps you focus on ways to improve your process or product to meet customers' expectations
- systematically translates and prioritizes customer-level CTQ's into clear, quantifiable design objectives

[isixsigma], [harrold 99-2]

QFD: Usage

Benefits
- Designs what customers REALLY want
- Prevents designing unnecessary product features
- Aligns business unit and engineering tactics & goals
  - a series of QFD matrices can link CTQ's of product specifications with product design with process design with process control*
- Defines and sets realistic product specifications
- Optimizes product **and** process costs
- Reduces post-introduction problems and surprises
- Gives quicker starts on next product generation(s)

*[brecker.com]

Quality Function Deployment

Number of Changes

with QFD

without QFD

$1 $10 $100 $1,000 $10,000

Start of
development
cycle

Start of
production

Source: L.P. Sullivan, "Quality Function Deployment," *Quality Progress,* June 1986, p. 39

QFD: House of Quality

HOW

Correlation Matrix

Product Technical Requirements (PTR's)

Subjective Competitive Evaluation

WHAT

Customer Needs

Relationship Matrix

WHY

Target Values

Technical Benchmarking

Importance Weighting

HOW MUCH

Tool Tip: Systems Thinking

Description
A discipline for seeing interrelationships, patterns and wholes

Event driven thinking:
- Put out the fire.

Statistical thinking:
- Based on history and likelihood of fires, where should fire prevention equipment be concentrated?

Systems thinking:
- How can the fires be avoided?

Systems Thinking: Tools

Theory of constraints (TOC)
- prerequisite trees
- current reality trees
- future reality trees
- transition trees
- conflict resolution diagrams

Causal loop diagrams

Systems Thinking: Senge's laws

- Today's problems come from yesterday's solutions.
- The harder you push, the harder the system pushes back.
- Behavior grows better before it grows worse.
- The easy way out usually leads back in.
- The cure can be worse than the disease.
- Faster is slower.
- You can have your cake and eat it too - but not at once.
- Dividing the elephant in half does not produce two small elephants.
- There is no blame.
- Cause and effect are not closely related in time and space.
- Small changes can produce big results - but the areas of highest leverage are often the least obvious.

Systems Thinking: Dettmer's TOC Principles

- Systems are analogous to chains - having a weakest link or constraint.
- Strengthening anything but the weakest link does not strengthen the chain.
- The system optimum is not the sum of the local optima.
- Systems operate in a complex cause and effect environment.
- Most undesirable effects are due to a few core problems.
- Core problems are almost never superficially apparent.
- System constraints can be physical or policy.
- Optimal solutions deteriorate over time as the environment changes.
- Ideas are not solutions.

Tool Tip: Statistical Process Control

Description:
- run chart with statistical limits
- distinguishes common cause variation from special cause variation and identifies when actions need to be taken to correct a process

SPC: Terms

Common cause variation: the variation which is inherent to the process as it normally occurs

Special (or "assignable") cause variation: variation which is unusual and indicative of a change in the process.

In control: stable, random, predictable; only common cause variation present.

Out of control: unstable, shifting data with trends or patterns; special cause variation present

Corrective Action Guidelines (CAGs): the rules to follow when assignable causes are present; When causes are not well-understood, then CAG may be an analytical troubleshooting guide (i.e., how to drilldown through the data and rule things out)

SPC: Tips

Reacting to Common Cause Variation as if it were Special Cause Variation cannot improve the process and will result in increased variability.

Check your data distributions!
- Defect counts are never negative and may not be normally distributed.

Set control limits based on statistics, engineering knowledge and risk of escaping defects.

Addendum

Additional reading
Additional analytical tools: abbreviated "tool tips"
Additional illustration
Change Agent References
CMMI Process Areas

Illustration – "Define" [1]

Business Driver
- Need 10% cost reduction in order to compete in the marketplace and stay in business

Baseline data (PSP)
- Productivity: 19 LOC/hr
- 33% of development time spent fixing defects
- Approximately 250 defects/KLOC

Illustration – "Define" 2

Goal:
- Reduce or prevent defects to reduce cost

Quantitatively speaking:
- Reduce cycle time by 22 minutes/program
- Reduce fix time by 1.3 minutes/defect
- Reduce defects by 6/program
- Reduce defect density to 190 defects/LOC

… or a combination that produces 21 LOC/hr

Illustration – "Analyze"

Opportunities to reduce repair time
- Defects removed in test: 78% of repair time
- Defects injected in design: 25% of repair time
- Defects injected in code: 56% of repair time
- Syntax defects in general: 63% of defects

Removed Defects Fix Time
Baseline programs 1-6

Code: 2%
Compile: 20%
Test: 78%

Injected Defects Fix Time,
Baseline programs 1-6

Test: 19%
Design: 25%
Code: 56%

Illustration – "Improve"

Improvement Plan at Program 6
- Syntax checklist
- Well-timed reviews
- Subcategories within defect types

Illustration – "Control"

Tracking performance
- Quantitative goal statement
- Hypothesized root causes
- Countermeasures & contribution to impact
- Key impact indicators

Productivity (LOC/hr)

Goal = 21

Program Number

Direct causes (from countermeasures):
- Fewer defects injected in code & test
- Defects removed earlier, faster (i.e., in design & code)

Root cause (need new countermeasures):
- "Re-learning" curve

Illustration – Analysis Summary

Tools used in full analysis included
- Process Mapping
- Descriptive statistics
- Means comparisons & significance testing
- Plots
  - Pie Charts
  - Trends
  - Phase profiles
  - Histograms
  - Pareto charts
  - Correlation plots
- Cause & Effect Diagrams
- "Management by Fact"

Focus was exploratory, investigative
- Ready for stability & control monitoring

Illustration – Scaling up

Illustration	Real Life
▪ Quickly drilled down from high level cost goal to personal improvement	▪ Drill down may be complex, may span wide breadth of organization
▪ Defined process in place	▪ May need to select or define process
▪ Measures in place	▪ May need to develop measures
▪ Continuous incremental improvements	▪ Continuous incremental improvements
▪ Event-based "step-change" improvements	▪ Event-based "step-change" improvements
▪ Re-learning curve	▪ Constantly changing skills, technologies
▪ Personal data	▪ Non-attributed data (e.g., team, project)
▪ Used productivity as one of impact measures	▪ Excessive productivity focus may drive unwanted behaviors

Addendum

Additional reading

Additional analytical tools: abbreviated "tool tips"

Additional illustration

Change Agent References

CMMI Process Areas

How Organizations Commit to Change

Institutionalization

Limited
Adoption

Trial Use

Understanding

Awareness

Contact

Commitment

Time

from Daryl R. Conner and Robert W. Patterson. "Building Commitment to Organizational Change," *Training and Development Journal* (April 1983):18-30.

A Formulaic Approach to Change

$$D \times V \times F > R$$

Dissatisfaction with the present

Vision of the Future

First Steps

Resistance to Change

"All elements of the formula must be present or resistance to the change will not be overcome."

Richard Beckhard

Continuous Improvement Antibodies

We tried that before
Our place is different
It costs too much
That's not my job
They're too busy to do that
We don't have the time
Not enough help
It's too radical a change
The staff will never buy it
It's against company policy
The union will scream
Runs up our overhead
We don't have the authority
Let's get back to reality
That's not our problem
I don't like the idea
You're right, but…
You're two years ahead of you time
We're not ready for that
It isn't in the budget
Can't teach an old dog new tricks
Good thought, but impractical
Let's give it more thought
We'll be the laughingstock
Not that again

Where'd you dig that one up?
We did all right without it
It's never been tried before
Let's put that one on the back burner
Let's form a committee
I don't see the connection
It won't work in our plant/office
The committee would never go for it
Let's sleep on it
It can't be done
It's too much trouble to change
It won't pay for itself
It's impossible
I know a person who tried it
We've always done it this way
Top management won't buy it
We'd lose money in the long run
Don't rock the boat
That's all we can expect
Has anyone else ever tried it?
Let's look into it further (later)
Quit dreaming
That won't work in our school
That's too much ivory tower
It's too much work

The Ten Challenges [1]

The Ten Challenges, as discussed in The Dance of Change by Peter Senge
copied from http://www.gwsae.org/ThoughtLeaders/SengeTenChallenges.htm

Challenges of Initiating

These challenges are often sufficient to prevent growth from occurring, almost before it starts. They are consistently encountered at the early stages of significant organizational change. The capabilities to deal with them must be developed under high pressure; but in managing these challenges effectively, organizations develop capabilities much sooner than otherwise for dealing with challenges down the road.

1 Not Enough Time:"We don't have time for this stuff!"

This is the challenge of control over one's time. This challenge is represents a valuable opportunity for reframing the way that workplaces are organized, to provide flexibility and time for reflection and innovation.

2 No Help: "We're like the blind leading the blind!"

Some managers believe that asking for help is a sign of incompetence; others are unaware of the coaching and support they need. Meeting this challenge means building the capabilities for finding the right help, and for mentoring each other to develop successful innovations.

3 Not Relevant: "Why are we doing this stuff?"

A top priority for pilot groups is a clear, compelling case for learning and change. If people are not sufficiently committed to an initiative's goals, a "commitment gap" develops and they will not take part wholeheartedly. Building relevance depends on candid conversations about the reasons for change and the commitments people can make.

4 "Walking the Talk" - Leadership values

What happens when there is a mismatch between the things the boss says and his or her actual behavior? People do not expect perfection, but they recognize when leaders are not sincere or open. If executive and line leaders do not provide an atmosphere of trust and authenticity, then genuine change cannot move forward.

The Ten Challenges 2

Challenges of Sustaining Momentum

These challenges occur sometime during the first year or two, when the group has clear goals and has discovered that new methods save more than enough time to put them into practice. Now the pilot group's real troubles begin. Sustained activity confronts boundaries - between the work of the pilot group and "internal" attitudes and beliefs, and between the pilot group's needs and the larger-scale company's values and ways of measuring success.

5 Fear and Anxiety: "This stuff is ----"

The blanks represent the fact that everyone expresses their fear and anxiety with a different form of defensiveness. How do you deal with the concerns of team members about exposure, vulnerability and inadequacy, triggered by the conflicts between increasing levels of candor and openness and low levels of trust? This is one of the most frequently faced challenges and the most difficult to overcome.

6 Assessment and Measurement: "This stuff isn't working"

How do you deal with the disconnect between the tangible (but unfamiliar) achievements of a pilot group and the organization's traditional ways of measuring success?

7 Believers and Nonbelievers: "We have the right way!" say pilot group members. "They're acting like a cult!" say their other colleagues and peers.

Riding on a wave of early success, speaking their own language, the pilot group becomes increasingly isolated from the rest of the organization. Outsiders, meanwhile, are put off and then turned off by the new, unfamiliar approaches and behavior. These misunderstandings easily accelerate into unnecessary, but nearly unavoidable, opposition.

The Ten Challenges ₃

Challenges of System wide Redesign and Rethinking
These challenges appear as a pilot group's work gains broader credibility and confronts the established internal infrastructure and practices of the organization.

8 Governance: "They won't give up the power."
As the pilot group's capabilities and activities increase, it runs into the priorities and established processes of the rest of the organization. This leads to conflicts over power and autonomy and to a destructive, "us-versus-them" dynamic that nobody wants - and that could be avoided if the capabilities are in place for organizational redesign.

9 Diffusion: "We keep reinventing the wheel!"
Unless organizations learn to recognize and deal with their mysterious, almost unnoticed inability to transfer knowledge across organizational boundaries, people around the system will not build upon each other's successes.

10 Strategy and Purpose: "Where are we going? and "What are we here for?"
How do you revitalize and rethink the organization's intended direction for success, its contribution to its community and its future identity? How do you improve the processes of conversation that lead people to articulate and refine their aspirations and goals for achieving them?

NOTE: This material is drawn from The Dance of Change and The Fifth Discipline Fieldbook Project site.

Addendum

Additional reading

Additional analytical tools: abbreviated "tool tips"

Additional illustration

Change Agent References

CMMI Process Areas

CMMI Structure

Appendixes

Maturity Level 5
OID, CAR

Maturity Level 4
OPP, QPM

Maturity Level 3
REQD, TS, PI, VER,
VAL, OPF, OPD, OT,
IPM, RSKM, DAR

Maturity Level 2
REQM, PP, PMC,
SAM, MA, PPQA, CM

Front Matter
Introduction
Structure of the Model
Model Terminology
Maturity Levels, Common Features, and Generic
Practices
Understanding the Model
Using the Model

CMMI-SE/SE
Staged

Appendixes

Support
CM, PPQA, MA,
CAR, DAR

Engineering
REQM, REQD, TS,
PI, VER, VAL

Project Management
PP, PMC, SAM
IPM, RSKM, QPM

Process Management
OPF, OPD, OT,
OPP, OID

Front Matter
Introduction
Structure of the Model
Model Terminology
Capability Levels and Generic Model
Components
Understanding the Model
Using the Model

CMMI-SE/SW
Continuous

CMMI Process Areas

Category	Process Areas
Process Management	**Organizational Process Focus (OPF)** **Organizational Process Definition (OPD)** **Organizational Training (OT)** **Organizational Process Performance (OPP)** **Organizational Innovation and Deployment (OID)**
Project Management	**Project Planning (PP)** **Project Monitoring and Control (PMC)** **Supplier Agreement Management (SAM)** **Integrated Project Management (IPM)** **Risk Management (RSK)** **Quantitative Project Management (QPM)**
Engineering	**Requirements Management (REQM)** **Requirements Development (RD)** **Technical Solution (TS)** **Product Integration (PI)** **Verification (VER)** **Validation (VAL)**
Support	**Configuration Management (CM)** **Process and Product Quality Assurance (PPQA)** **Measurement and Analysis (MA)** **Causal Analysis and Resolution (CAR)** **Decision Analysis and Resolution (DAR)**